

To: Korleski, Christopher[korleski.christopher@epa.gov]
Cc: Poy, Thomas[poy.thomas@epa.gov]
From: Bair, Rita
Sent: Mon 1/9/2017 11:18:49 PM
Subject: FW: East Chicago PO4

Email we discussed.

From: Deltoral, Miguel
Sent: Monday, October 24, 2016 6:59 AM
To: Poy, Thomas <poy.thomas@epa.gov>; Bair, Rita <bair.rita@epa.gov>; Shoven, Heather <shoven.heather@epa.gov>
Subject: Fwd: East Chicago PO4

FYI

Miguel A. Del Toral

Regulations Manager, GWDWB

U.S. EPA Region 5 (WG-15J)

77 West Jackson Blvd

Chicago, IL 60604

W: (312) 886-5253

Begin forwarded message:

From: "Deltoral, Miguel" <deltoral.miguel@epa.gov>
Date: October 24, 2016 at 6:41:16 AM CDT
To: "sjones@idem.in.gov" <sjones@idem.in.gov>
Cc: "Porter, Andrea" <porter.andrea@epa.gov>, "Bosscher, Valerie" <bosscher.valerie@epa.gov>
Subject: East Chicago PO4

Hi Stacy,

We are starting to get the water sampling results back from East Chicago and the first home had 0.05 mg/L as Total P and the second had ND as Total P. Do you have recent MORs you can send with East Chicago's ortho levels at the EPs and DS?

Miguel A. Del Toral

Regulations Manager
U.S. EPA R5 GWDWB
77 West Jackson Blvd, (WG-15J)
Chicago, IL 60604
Phone: (312) 886-5253